

.4295 Dia., 300 Gr. JSP

POINT BLANK RANGE COMPUTED FOR 2.0 INCHES ABOVE AND BELOW LINE OF SIGHT

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
MAXIMUM POINT BLANK RANGE IS 150 YARDS. SET ZERO AT 125 YARDS.								
VELOCITY FPS	1900	1820	1743	1668	1596	1527	1461	1233
ENERGY FT-LB	2404	2207	2024	1854	1697	1554	1422	1014
DROP INCHES	.00	-.30	-1.26	-2.93	-5.39	-8.69	-12.93	-41.02
BULLET PATH (25 YDS)	-.75	.00	.09	-.53	-1.93	-4.18	-7.36	-31.24
INCHES (50 YDS)	-.75	-.05	.00	-.67	-2.11	-4.41	-7.65	-31.72
(ZERO RANGE) (75 YDS)	-.75	.18	.44	.00	-1.22	-3.30	-6.31	-29.49
(100 YDS)	-.75	.48	1.06	.92	.00	-1.77	-4.47	-26.43
MPBR ZERO (125 YDS)	-.75	.84	1.77	1.98	1.42	.00	-2.35	-22.89
WIND DRIFT (10 MPH)	.00	.15	.61	1.41	2.55	4.05	5.94	17.58
INCHES (20 MPH)	.00	.30	1.23	2.81	5.09	8.10	11.88	35.15

MAXIMUM POINT BLANK RANGE IS 145 YARDS. SET ZERO AT 120 YARDS.								
VELOCITY FPS	1850	1771	1696	1623	1553	1485	1421	1204
ENERGY FT-LB	2279	2091	1916	1754	1606	1470	1346	966
DROP INCHES	.00	-.32	-1.33	-3.10	-5.69	-9.18	-13.66	-43.32
BULLET PATH (25 YDS)	-.75	.00	.06	-.64	-2.16	-4.58	-7.99	-33.37
INCHES (50 YDS)	-.75	-.03	.00	-.73	-2.28	-4.73	-8.16	-33.67
(ZERO RANGE) (75 YDS)	-.75	.21	.48	.00	-1.31	-3.52	-6.71	-31.25
(100 YDS)	-.75	.54	1.14	.98	.00	-1.88	-4.75	-27.98
MPBR ZERO (120 YDS)	-.75	.84	1.73	1.87	1.19	-.39	-2.97	-25.00
WIND DRIFT (10 MPH)	.00	.16	.63	1.45	2.63	4.19	6.14	18.07
INCHES (20 MPH)	.00	.31	1.27	2.91	5.27	8.38	12.27	36.13

MAXIMUM POINT BLANK RANGE IS 140 YARDS. SET ZERO AT 115 YARDS.								
VELOCITY FPS	1800	1723	1649	1578	1509	1444	1383	1178
ENERGY FT-LB	2157	1978	1812	1658	1518	1390	1274	924
DROP INCHES	.00	-.34	-1.41	-3.27	-6.01	-9.71	-14.44	-45.79
BULLET PATH (25 YDS)	-.75	.00	.02	-.76	-2.41	-5.02	-8.67	-35.66
INCHES (50 YDS)	-.75	-.01	.00	-.79	-2.45	-5.07	-8.72	-35.76
(ZERO RANGE) (75 YDS)	-.75	.25	.53	.00	-1.40	-3.75	-7.15	-33.13
(100 YDS)	-.75	.60	1.22	1.05	.00	-2.00	-5.05	-29.63
MPBR ZERO (115 YDS)	-.75	.84	1.70	1.75	.94	-.83	-3.64	-27.28
WIND DRIFT (10 MPH)	.00	.16	.66	1.51	2.72	4.33	6.33	18.54
INCHES (20 MPH)	.00	.32	1.31	3.01	5.45	8.66	12.67	37.07

MAXIMUM POINT BLANK RANGE IS 140 YARDS. SET ZERO AT 115 YARDS.								
VELOCITY FPS	1750	1675	1602	1533	1467	1404	1344	1153
ENERGY FT-LB	2039	1868	1711	1566	1433	1313	1204	886
DROP INCHES	.00	-.36	-1.49	-3.46	-6.37	-10.28	-15.29	-48.44
BULLET PATH (25 YDS)	-.75	.00	-.02	-.89	-2.69	-5.49	-9.40	-38.12
INCHES (50 YDS)	-.75	.01	.00	-.86	-2.64	-5.43	-9.33	-38.00
(ZERO RANGE) (75 YDS)	-.75	.30	.57	.00	-1.50	-4.01	-7.62	-35.14
(100 YDS)	-.75	.67	1.32	1.12	.00	-2.13	-5.37	-31.40
MPBR ZERO (115 YDS)	-.75	.92	1.82	1.88	1.00	-.88	-3.86	-28.89
WIND DRIFT (10 MPH)	.00	.17	.68	1.56	2.82	4.47	6.53	18.97
INCHES (20 MPH)	.00	.33	1.36	3.12	5.63	8.94	13.07	37.93

MAXIMUM POINT BLANK RANGE IS 135 YARDS. SET ZERO AT 110 YARDS.								
VELOCITY FPS	1700	1626	1556	1489	1425	1364	1307	1129
ENERGY FT-LB	1924	1762	1613	1476	1352	1240	1138	850
DROP INCHES	.00	-.38	-1.58	-3.67	-6.75	-10.90	-16.22	-51.28
BULLET PATH (25 YDS)	-.75	.00	-.07	-1.04	-2.99	-6.01	-10.20	-40.74
INCHES (50 YDS)	-.75	.04	.00	-.93	-2.85	-5.83	-9.98	-40.39
(ZERO RANGE) (75 YDS)	-.75	.35	.62	.00	-1.60	-4.28	-8.12	-37.28
(100 YDS)	-.75	.75	1.42	1.20	.00	-2.27	-5.71	-33.27
MPBR ZERO (110 YDS)	-.75	.92	1.78	1.73	.71	-1.39	-4.65	-31.51
WIND DRIFT (10 MPH)	.00	.17	.70	1.61	2.91	4.61	6.73	19.34
INCHES (20 MPH)	.00	.35	1.41	3.22	5.82	9.22	13.46	38.69

MAXIMUM POINT BLANK RANGE IS 130 YARDS. SET ZERO AT 110 YARDS.

VELOCITY FPS		1650	1578	1510	1445	1383	1325	1271	1107
ENERGY FT-LB		1813	1659	1519	1391	1274	1170	1076	816
DROP INCHES		.00	-.40	-1.68	-3.90	-7.17	-11.58	-17.22	-54.32
BULLET PATH	(25 YDS)	-.75	.00	-.12	-1.20	-3.32	-6.57	-11.06	-43.55
INCHES	(50 YDS)	-.75	.06	.00	-1.02	-3.07	-6.27	-10.69	-42.94
(ZERO RANGE)	(75 YDS)	-.75	.40	.68	.00	-1.72	-4.57	-8.66	-39.56
	(100 YDS)	-.75	.83	1.54	1.29	.00	-2.42	-6.08	-35.26
MPBR ZERO	(110 YDS)	-.75	1.02	1.91	1.85	.75	-1.48	-4.95	-33.38
WIND DRIFT	(10 MPH)	.00	.18	.73	1.66	3.00	4.75	6.92	19.66
INCHES	(20 MPH)	.00	.36	1.46	3.33	6.00	9.50	13.84	39.31

RANGE YARDS	MUZZLE	25	50	75	100	125	150	250
-------------	--------	----	----	----	-----	-----	-----	-----

MAXIMUM POINT BLANK RANGE IS 125 YARDS. SET ZERO AT 105 YARDS.

VELOCITY FPS		1600	1530	1464	1401	1342	1287	1236	1086
ENERGY FT-LB		1705	1560	1428	1308	1200	1103	1017	785
DROP INCHES		.00	-.43	-1.78	-4.16	-7.63	-12.31	-18.31	-57.57
BULLET PATH	(25 YDS)	-.75	.00	-.18	-1.37	-3.67	-7.18	-11.99	-46.55
INCHES	(50 YDS)	-.75	.09	.00	-1.10	-3.31	-6.73	-11.45	-45.65
(ZERO RANGE)	(75 YDS)	-.75	.46	.74	.00	-1.84	-4.89	-9.24	-41.97
	(100 YDS)	-.75	.92	1.66	1.38	.00	-2.59	-6.48	-37.36
MPBR ZERO	(105 YDS)	-.75	1.02	1.86	1.68	.40	-2.09	-5.89	-36.37
WIND DRIFT	(10 MPH)	.00	.19	.75	1.72	3.09	4.88	7.10	19.88
INCHES	(20 MPH)	.00	.37	1.50	3.43	6.18	9.76	14.19	39.77

MAXIMUM POINT BLANK RANGE IS 120 YARDS. SET ZERO AT 100 YARDS.

VELOCITY FPS		1550	1482	1419	1358	1302	1250	1202	1066
ENERGY FT-LB		1600	1464	1341	1229	1129	1041	963	757
DROP INCHES		.00	-.46	-1.91	-4.43	-8.13	-13.12	-19.49	-61.04
BULLET PATH	(25 YDS)	-.75	.00	-.24	-1.56	-4.06	-7.83	-13.00	-49.72
INCHES	(50 YDS)	-.75	.12	.00	-1.20	-3.57	-7.23	-12.27	-48.51
(ZERO RANGE)	(75 YDS)	-.75	.52	.80	.00	-1.97	-5.23	-9.88	-44.52
	(100 YDS)	-.75	1.01	1.79	1.48	.00	-2.76	-6.91	-39.58
MPBR ZERO	(100 YDS)	-.75	1.01	1.79	1.48	.00	-2.76	-6.91	-39.58
WIND DRIFT	(10 MPH)	.00	.19	.77	1.77	3.17	5.00	7.25	20.01
INCHES	(20 MPH)	.00	.38	1.55	3.53	6.34	10.00	14.51	40.02

MAXIMUM POINT BLANK RANGE IS 120 YARDS. SET ZERO AT 100 YARDS.

VELOCITY FPS		1500	1435	1374	1316	1263	1214	1172	1047
ENERGY FT-LB		1498	1372	1257	1154	1063	982	915	730
DROP INCHES		.00	-.49	-2.04	-4.73	-8.68	-13.99	-20.78	-64.73
BULLET PATH	(25 YDS)	-.75	.00	-.30	-1.76	-4.46	-8.53	-14.08	-53.07
INCHES	(50 YDS)	-.75	.15	.00	-1.30	-3.86	-7.77	-13.16	-51.54
(ZERO RANGE)	(75 YDS)	-.75	.59	.87	.00	-2.12	-5.60	-10.56	-47.20
	(100 YDS)	-.75	1.12	1.93	1.59	.00	-2.95	-7.38	-41.90
MPBR ZERO	(100 YDS)	-.75	1.12	1.93	1.59	.00	-2.95	-7.38	-41.90
WIND DRIFT	(10 MPH)	.00	.20	.80	1.81	3.25	5.11	7.38	20.01
INCHES	(20 MPH)	.00	.39	1.59	3.62	6.50	10.22	14.75	40.03

MAXIMUM POINT BLANK RANGE IS 115 YARDS. SET ZERO AT 95 YARDS.

VELOCITY FPS		1450	1388	1329	1275	1225	1181	1143	1028
ENERGY FT-LB		1400	1283	1177	1083	999	929	871	705
DROP INCHES		.00	-.53	-2.18	-5.06	-9.28	-14.94	-22.17	-68.65
BULLET PATH	(25 YDS)	-.75	.00	-.38	-1.98	-4.92	-9.31	-15.26	-56.64
INCHES	(50 YDS)	-.75	.19	.00	-1.42	-4.17	-8.37	-14.13	-54.76
(ZERO RANGE)	(75 YDS)	-.75	.66	.94	.00	-2.28	-6.01	-11.29	-50.04
	(100 YDS)	-.75	1.23	2.08	1.71	.00	-3.16	-7.87	-44.33
MPBR ZERO	(95 YDS)	-.75	1.11	1.85	1.35	-.48	-3.76	-8.59	-45.53
WIND DRIFT	(10 MPH)	.00	.20	.82	1.85	3.31	5.19	7.44	19.88
INCHES	(20 MPH)	.00	.40	1.63	3.70	6.62	10.37	14.88	39.76

MAXIMUM POINT BLANK RANGE IS 115 YARDS. SET ZERO AT 95 YARDS.

VELOCITY FPS		1400	1340	1285	1234	1189	1150	1116	1011
--------------	--	------	------	------	------	------	------	------	------

ENERGY FT-LB	1305	1197	1100	1015	942	881	829	681
DROP INCHES	.00	-.56	-2.34	-5.42	-9.93	-15.98	-23.67	-72.81
BULLET PATH (25 YDS)	-.75	.00	-.46	-2.23	-5.43	-10.16	-16.53	-60.42
INCHES (50 YDS)	-.75	.23	.00	-1.54	-4.51	-9.02	-15.16	-58.13
(ZERO RANGE) (75 YDS)	-.75	.74	1.03	.00	-2.46	-6.44	-12.07	-52.99
(100 YDS)	-.75	1.36	2.26	1.84	.00	-3.38	-8.39	-46.85
MPBR ZERO (95 YDS)	-.75	1.23	2.00	1.46	-.51	-4.02	-9.16	-48.13
WIND DRIFT (10 MPH)	.00	.21	.83	1.88	3.35	5.21	7.43	19.58
INCHES (20 MPH)	.00	.41	1.67	3.77	6.71	10.42	14.86	39.15

MAXIMUM POINT BLANK RANGE IS 110 YARDS. SET ZERO AT 90 YARDS.

VELOCITY FPS	1350	1294	1242	1195	1156	1121	1090	993
ENERGY FT-LB	1213	1115	1028	952	891	837	791	657
DROP INCHES	.00	-.61	-2.51	-5.82	-10.65	-17.10	-25.28	-77.21
BULLET PATH (25 YDS)	-.75	.00	-.55	-2.50	-5.98	-11.07	-17.89	-64.40
INCHES (50 YDS)	-.75	.27	.00	-1.68	-4.88	-9.70	-16.25	-61.66
(ZERO RANGE) (75 YDS)	-.75	.83	1.12	.00	-2.64	-6.90	-12.89	-56.05
(100 YDS)	-.75	1.49	2.44	1.98	.00	-3.60	-8.93	-49.46
MPBR ZERO (90 YDS)	-.75	1.22	1.90	1.16	-1.09	-4.96	-10.56	-52.18
WIND DRIFT (10 MPH)	.00	.21	.84	1.90	3.35	5.16	7.33	19.09
INCHES (20 MPH)	.00	.42	1.69	3.80	6.70	10.33	14.66	38.17

RANGE YARDS	MUZZLE	10	20	30	40	50	75	100
-------------	--------	----	----	----	----	----	----	-----

MAXIMUM POINT BLANK RANGE IS 105 YARDS. SET ZERO AT 85 YARDS.

VELOCITY FPS	1300	1278	1257	1238	1218	1200	1160	1125
ENERGY FT-LB	1125	1088	1054	1020	989	959	897	842
DROP INCHES	.00	-.10	-.41	-.95	-1.71	-2.70	-6.26	-11.43
BULLET PATH (20 YDS)	-.75	-.27	.00	.05	-.13	-.54	-2.64	-6.36
INCHES (30 YDS)	-.75	-.28	-.03	.00	-.20	-.62	-2.76	-6.52
(ZERO RANGE) (40 YDS)	-.75	-.24	.07	.15	.00	-.38	-2.40	-6.03
(50 YDS)	-.75	-.16	.22	.37	.30	.00	-1.83	-5.27
MPBR ZERO (85 YDS)	-.75	.19	.92	1.44	1.72	1.77	.82	-1.73
WIND DRIFT (10 MPH)	.00	.03	.14	.31	.54	.85	1.88	3.28
INCHES (20 MPH)	.00	.07	.27	.61	1.08	1.69	3.76	6.56

MAXIMUM POINT BLANK RANGE IS 105 YARDS. SET ZERO AT 85 YARDS.

VELOCITY FPS	1250	1230	1211	1193	1177	1162	1126	1094
ENERGY FT-LB	1040	1008	977	949	923	899	845	797
DROP INCHES	.00	-.11	-.45	-1.03	-1.85	-2.92	-6.73	-12.26
BULLET PATH (20 YDS)	-.75	-.26	.00	.02	-.20	-.67	-2.98	-7.01
INCHES (30 YDS)	-.75	-.27	-.02	.00	-.23	-.71	-3.04	-7.09
(ZERO RANGE) (40 YDS)	-.75	-.21	.10	.17	.00	-.42	-2.61	-6.52
(50 YDS)	-.75	-.13	.27	.42	.34	.00	-1.98	-5.67
MPBR ZERO (85 YDS)	-.75	.26	1.03	1.57	1.87	1.91	.88	-1.85
WIND DRIFT (10 MPH)	.00	.03	.13	.30	.53	.82	1.80	3.13
INCHES (20 MPH)	.00	.07	.27	.60	1.06	1.64	3.60	6.26

MAXIMUM POINT BLANK RANGE IS 100 YARDS. SET ZERO AT 80 YARDS.

VELOCITY FPS	1200	1183	1167	1152	1138	1124	1093	1064
ENERGY FT-LB	959	933	908	885	863	842	795	755
DROP INCHES	.00	-.12	-.49	-1.11	-1.99	-3.14	-7.24	-13.15
BULLET PATH (20 YDS)	-.75	-.25	.00	.00	-.27	-.80	-3.35	-7.71
INCHES (30 YDS)	-.75	-.25	.00	.00	-.26	-.80	-3.34	-7.70
(ZERO RANGE) (40 YDS)	-.75	-.18	.13	.20	.00	-.47	-2.84	-7.04
(50 YDS)	-.75	-.09	.32	.48	.37	.00	-2.15	-6.11
MPBR ZERO (80 YDS)	-.75	.26	1.02	1.52	1.77	1.74	.47	-2.62
WIND DRIFT (10 MPH)	.00	.03	.12	.27	.48	.75	1.65	2.89
INCHES (20 MPH)	.00	.06	.24	.54	.96	1.49	3.31	5.79

MAXIMUM POINT BLANK RANGE IS 100 YARDS. SET ZERO AT 80 YARDS.

VELOCITY FPS	1150	1135	1122	1109	1096	1084	1057	1032
ENERGY FT-LB	880	859	838	819	800	783	744	710
DROP INCHES	.00	-.13	-.53	-1.20	-2.16	-3.41	-7.83	-14.19
BULLET PATH (20 YDS)	-.75	-.24	.00	-.04	-.35	-.96	-3.78	-8.54

INCHES	(30 YDS)	-.75	-.23	.02	.00	-.31	-.90	-3.69	-8.42
(ZERO RANGE)	(40 YDS)	-.75	-.15	.18	.23	.00	-.52	-3.12	-7.66
	(50 YDS)	-.75	-.05	.38	.54	.41	.00	-2.34	-6.62
MPBR ZERO	(80 YDS)	-.75	.33	1.14	1.68	1.93	1.90	.51	-2.82
WIND DRIFT	(10 MPH)	.00	.03	.12	.26	.45	.70	1.55	2.71
INCHES	(20 MPH)	.00	.06	.23	.51	.91	1.41	3.11	5.41

MAXIMUM POINT BLANK RANGE IS 90 YARDS. SET ZERO AT 75 YARDS.

VELOCITY FPS		1100	1088	1076	1065	1055	1045	1021	1000
ENERGY FT-LB		805	788	771	756	741	727	695	666
DROP INCHES		.00	-.14	-.58	-1.31	-2.35	-3.70	-8.49	-15.35
BULLET PATH	(20 YDS)	-.75	-.23	.00	-.07	-.45	-1.14	-4.26	-9.47
INCHES	(30 YDS)	-.75	-.20	.05	.00	-.35	-1.02	-4.09	-9.23
(ZERO RANGE)	(40 YDS)	-.75	-.12	.22	.26	.00	-.58	-3.42	-8.35
	(50 YDS)	-.75	.00	.45	.61	.46	.00	-2.56	-7.19
MPBR ZERO	(75 YDS)	-.75	.34	1.14	1.63	1.83	1.70	.00	-3.78
WIND DRIFT	(10 MPH)	.00	.03	.11	.23	.41	.64	1.42	2.47
INCHES	(20 MPH)	.00	.05	.21	.47	.83	1.28	2.83	4.95

MAXIMUM POINT BLANK RANGE IS 90 YARDS. SET ZERO AT 75 YARDS.

VELOCITY FPS		1050	1040	1030	1021	1012	1004	984	965
ENERGY FT-LB		734	720	707	695	683	671	645	621
DROP INCHES		.00	-.15	-.63	-1.43	-2.57	-4.04	-9.24	-16.68
BULLET PATH	(20 YDS)	-.75	-.21	.00	-.11	-.56	-1.34	-4.82	-10.53
INCHES	(30 YDS)	-.75	-.18	.07	.00	-.41	-1.15	-4.54	-10.16
(ZERO RANGE)	(40 YDS)	-.75	-.08	.28	.31	.00	-.64	-3.77	-9.14
	(50 YDS)	-.75	.05	.54	.69	.52	.00	-2.81	-7.85
MPBR ZERO	(75 YDS)	-.75	.43	1.28	1.81	2.01	1.87	.00	-4.11
WIND DRIFT	(10 MPH)	.00	.02	.09	.21	.37	.58	1.28	2.25
INCHES	(20 MPH)	.00	.05	.19	.42	.75	1.16	2.57	4.50

RANGE YARDS	MUZZLE	10	20	30	40	50	75	100
-------------	--------	----	----	----	----	----	----	-----

MAXIMUM POINT BLANK RANGE IS 85 YARDS. SET ZERO AT 70 YARDS.

VELOCITY FPS		1000	991	984	976	969	962	944	928
ENERGY FT-LB		666	655	645	635	625	616	594	574
DROP INCHES		.00	-.17	-.69	-1.57	-2.82	-4.43	-10.12	-18.23
BULLET PATH	(20 YDS)	-.75	-.20	.00	-.16	-.68	-1.58	-5.46	-11.77
INCHES	(30 YDS)	-.75	-.15	.11	.00	-.47	-1.31	-5.06	-11.23
(ZERO RANGE)	(40 YDS)	-.75	-.03	.34	.35	.00	-.72	-4.18	-10.06
	(50 YDS)	-.75	.12	.63	.79	.58	.00	-3.10	-8.61
MPBR ZERO	(70 YDS)	-.75	.44	1.28	1.77	1.89	1.63	-.65	-5.34
WIND DRIFT	(10 MPH)	.00	.02	.09	.19	.34	.53	1.17	2.06
INCHES	(20 MPH)	.00	.04	.17	.38	.68	1.05	2.35	4.13

MAXIMUM POINT BLANK RANGE IS 80 YARDS. SET ZERO AT 65 YARDS.

VELOCITY FPS		950	943	936	930	924	918	903	886
ENERGY FT-LB		601	592	584	576	568	561	543	523
DROP INCHES		.00	-.18	-.75	-1.72	-3.09	-4.86	-11.11	-20.03
BULLET PATH	(20 YDS)	-.75	-.18	.00	-.22	-.83	-1.86	-6.23	-13.26
INCHES	(30 YDS)	-.75	-.11	.14	.00	-.54	-1.50	-5.69	-12.54
(ZERO RANGE)	(40 YDS)	-.75	.03	.42	.41	.00	-.82	-4.67	-11.18
	(50 YDS)	-.75	.19	.74	.90	.65	.00	-3.44	-9.55
MPBR ZERO	(65 YDS)	-.75	.46	1.28	1.71	1.73	1.35	-1.42	-6.86
WIND DRIFT	(10 MPH)	.00	.02	.08	.18	.31	.49	1.09	1.94
INCHES	(20 MPH)	.00	.04	.16	.35	.62	.97	2.17	3.87

MAXIMUM POINT BLANK RANGE IS 75 YARDS. SET ZERO AT 60 YARDS.

VELOCITY FPS		900	892	885	878	872	865	849	834
ENERGY FT-LB		539	530	522	514	506	498	480	463
DROP INCHES		.00	-.20	-.84	-1.92	-3.45	-5.44	-12.45	-22.47
BULLET PATH	(20 YDS)	-.75	-.16	.00	-.29	-1.02	-2.21	-7.23	-15.26
INCHES	(30 YDS)	-.75	-.06	.19	.00	-.64	-1.74	-6.52	-14.31
(ZERO RANGE)	(40 YDS)	-.75	.10	.51	.48	.00	-.94	-5.32	-12.71
	(50 YDS)	-.75	.29	.88	1.04	.75	.00	-3.92	-10.84

MPBR ZERO	(60 YDS)	-.75	.49	1.29	1.65	1.56	1.01	-2.40	-8.82
WIND DRIFT	(10 MPH)	.00	.02	.09	.21	.38	.59	1.31	2.33
INCHES	(20 MPH)	.00	.05	.19	.42	.75	1.17	2.63	4.65

MAXIMUM POINT BLANK RANGE IS 75 YARDS. SET ZERO AT 60 YARDS.

VELOCITY FPS		850	843	837	831	825	819	805	791
ENERGY FT-LB		481	474	467	460	454	447	432	417
DROP INCHES		.00	-.23	-.94	-2.15	-3.86	-6.08	-13.91	-25.06
BULLET PATH	(20 YDS)	-.75	-.13	.00	-.36	-1.23	-2.61	-8.32	-17.36
INCHES	(30 YDS)	-.75	-.01	.24	.00	-.74	-2.00	-7.41	-16.15
(ZERO RANGE)	(40 YDS)	-.75	.18	.61	.56	.00	-1.07	-6.01	-14.28
	(50 YDS)	-.75	.39	1.04	1.20	.85	.00	-4.41	-12.15
MPBR ZERO	(60 YDS)	-.75	.62	1.50	1.88	1.77	1.14	-2.70	-9.86
WIND DRIFT	(10 MPH)	.00	.02	.09	.21	.37	.57	1.28	2.28
INCHES	(20 MPH)	.00	.05	.18	.41	.73	1.14	2.57	4.56

MAXIMUM POINT BLANK RANGE IS 70 YARDS. SET ZERO AT 55 YARDS.

VELOCITY FPS		800	794	789	783	778	773	760	747
ENERGY FT-LB		426	420	414	409	403	398	384	372
DROP INCHES		.00	-.24	-1.03	-2.38	-4.29	-6.77	-15.54	-28.07
BULLET PATH	(20 YDS)	-.75	-.10	.00	-.46	-1.48	-3.07	-9.61	-19.91
INCHES	(30 YDS)	-.75	.05	.30	.00	-.87	-2.31	-8.48	-18.40
(ZERO RANGE)	(40 YDS)	-.75	.27	.74	.65	.00	-1.22	-6.85	-16.22
	(50 YDS)	-.75	.51	1.23	1.39	.98	.00	-5.01	-13.77
MPBR ZERO	(55 YDS)	-.75	.64	1.49	1.77	1.49	.64	-4.04	-12.49
WIND DRIFT	(10 MPH)	.00	.02	.09	.21	.37	.57	1.29	2.30
INCHES	(20 MPH)	.00	.05	.18	.41	.73	1.15	2.59	4.61

MAXIMUM POINT BLANK RANGE IS 65 YARDS. SET ZERO AT 50 YARDS.

VELOCITY FPS		750	745	740	735	730	725	714	702
ENERGY FT-LB		374	369	364	360	355	350	339	328
DROP INCHES		.00	-.27	-1.17	-2.70	-4.87	-7.69	-17.66	-31.88
BULLET PATH	(20 YDS)	-.75	-.06	.00	-.57	-1.79	-3.65	-11.21	-23.04
INCHES	(30 YDS)	-.75	.13	.38	.00	-1.02	-2.70	-9.79	-21.13
(ZERO RANGE)	(40 YDS)	-.75	.38	.89	.77	.00	-1.42	-7.87	-18.57
	(50 YDS)	-.75	.67	1.46	1.62	1.13	.00	-5.74	-15.74
MPBR ZERO	(50 YDS)	-.75	.67	1.46	1.62	1.13	.00	-5.74	-15.74
WIND DRIFT	(10 MPH)	.00	.02	.09	.21	.38	.59	1.33	2.36
INCHES	(20 MPH)	.00	.05	.19	.42	.75	1.17	2.65	4.73